

STONE**E**VOLUTION

By Terratinta Ceramiche®

With the **STONE** concept we have created a range that produces a stone with a timeless charm, always fashionable. The **STONEEVOLUTION** collection, thanks to the latest technologies, mix together the ancient mood of natural stone with the avantgarde of this project in 2 colours and 3 finishes: a unique interpretation.

Grijs

4

Available sizes

Packaging

Technical features

Zwart

16



30


32

34

GRIJS

± 9,5

MATT





*

2cm

Flamed finish is available in Grijs 60x60 only

“Be fearful of mediocrity.”

Jonathan Ellery




MATT


60X60









 **V3 HIGH**

Product with high shade
chromatic variation

Mistakes are
the portals of
discovery.

James Joyce



LAPPATO

60X60






ZWART

± 9,5

MATT



MATT

60X60





**“AN ESSENTIAL ASPECT
OF CREATIVITY
IS NOT BEING AFRAID
TO FAIL.”**

Edwin Land



VINTAGE

61,5X61,5





V3 HIGH

Product with high shade
chromatic variation





A stack of five vintage leather suitcases is displayed on a dark brown wooden X-frame stand. The suitcases are in various shades of brown and tan, with some showing signs of wear and age. The background features a white wall with a repeating pattern of small, dark floral motifs. To the left, a white door is partially visible. The floor is a dark, textured material, possibly stone or concrete. A dark, textured banner is overlaid on the left side of the image, containing the text 'LAPPATO' and '60X60'.

LAPPATO

60X60









ALL SIZES ARE RECTIFIED AND MONOCALIBER


GRIJS



60X60
(61,5X61,5 VINTAGE-UNRECTIFIED)



30X60



15X60



10X60




10X10



5X60




MOSAIC 30X60




MOSAIC 30X30
(CHIP 2X10)


Laying Schemes / Listels



LS1
13% /m² 5x60 cm
35% /m² 10x60cm
52% /m² 15x60cm








LS2
17% /m² 5x60 cm
33% /m² 10x60cm
50% /m² 15x60cm





LS3
20% /m² 5x60 cm
20% /m² 10x60cm
60% /m² 15x60cm

SIZES AND CODES



			GRIJS	ZWART
	61,5x61,5 60x60	Vintage Matt Lappato Flamed	TTSE0160V TTSE0160N TTSE0160LP TTSE0160FL2CM	TTSE0260V TTSE0260N TTSE0260LP -
	30x60	Matt Lappato	TTSE0136N TTSE0136LP	TTSE0236N TTSE0236LP
	15x60	Matt	TTSE0115N	TTSE0215N
	10x60	Matt	TTSE0110N	TTSE0210N
	5x60	Matt	TTSE0105N	TTSE0205N
	10x10	Matt Lappato	TTSE0111N TTSE0111LP	TTSE0211N TTSE0211LP
	Mosaic 30x60	Matt	TTSE01M36N	TTSE02M36N
	Mosaic 30x30 (chip 2x10)	Matt Lappato	TTSE01M2N TTSE01M2LP	TTSE02M2N TTSE02M2LP
	Step 30x60	Matt Lappato	TTSE01GN TTSE01GLP	TTSE02GN TTSE02GLP
	Skirting 7x60	Matt	TTSE01BN	TTSE02BN

PACKAGING

						
	PIECES	SQ.MT	KG	BOXES	SQ.MT	KG
61,5X61,5 Vintage	3	1,135	23	36	40,86	828
60X60 Matt/Lap.	3	1,08	22	36	38,88	792
30X60 Matt/Lap.	6	1,08	22	40	43,20	880
15X60 Matt	12	1,08	22	40	43,20	880
10X60 Matt	15	0,90	18	40	36	720
5X60 Matt	34	1,02	19	40	40,80	760
10X10 Matt/Lap.	50	0,50	10	50	25	500
Mosaic 30x60 Matt	6	1,08	20	30	32,40	600
Mosaic 30x30 Matt/Lap. (chip 2x10)	11	1	19	60	60	1.140
Step 30x60 Matt/Lap.	6	1,08	22			
Skirting 7x60 Matt	14	8,4 ml	13,30			

2cm

60x60 2CM*

						
	PIECES	SQ.MT	KG	BOXES	SQ.MT	KG
60x60 2CM*	2	0,72	31,72	32	23,04	1.015

*Available in Grijs, Flamed finish only



TECHNICAL FEATURES

FULL BODY PORCELAIN STONEWARE

FLOOR AND WALL_HEAVY COMMERCIAL_IN & OUT

	PYSICAL-CHEMICAL PROPERTIES PROPRIETÀ FISICO-CHIMICHE PYSISCH-CHEMISCHE EIGENSCHAFTEN PROPRIÉTÉS PHYSICO-CHIMIQUES	STANDARD OF TEST TIPO DI PROVA TWESTNORM NORME DU TEST
	DIMENSIONS SIZES ABMESSUNGEN DIMENSIONS	EN ISO 10545-2
	WATER ABSORPTION ASSORBIMENTO D'ACQUA WASSERAUFNAHME ABSORPTION D'EAU	EN ISO 10545-3
	SURFACE RESISTANCE RESISTENZA A FLESSIONE BIEGUNGSFESTIGKEIT RÉSISTANCE À LA FLEXION	EN ISO 10545-4
	BREAKAGE RESISTANCE SFORZO DI ROTTURA BRUCHLAST RESISTANCE A LA RUPTURE	
	SCRATCH RESISTANCE RESISTENZA ALL'ABRASIONE PROFONDA BESTIMMUNG DES WIDERSTANDES GEGEN TIEFEN VERSCHLEIB RÉSISTANCE À L'ABRASION	EN ISO 10545-6
	COEFFICIENT OF LINEAR THERMAL-EXPANSION COEFFICIENTE DI DILATAZIONE TERMICA LINEARE LINEARE WÄRMEAUSSDEHNUNG COEFFICIENT LINÉAIRE DE DILATATION THERMIQUE	EN ISO 10545-8
	THERMAL SHOCK RESISTANCE RESISTENZA AGLI SBALZI TERMICI TEMPERATURWECHSELBESTÄNDIGKEIT RÉSISTANCE AUX ÉCARTS DE TEMPÉRATURE	EN ISO 10545-9
	FROST RESISTANCE RESISTENZA AL GELO FROSTBESTÄNDIGKEIT RÉSISTANCE AU GEL	EN ISO 10545-12
	CHEMICAL RESISTANCE RESISTENZA AI PRODOTTI CHIMICI CHEMIKALIENFESTIGKEIT RÉSISTANCE AUX PRODUITS CHIMIQUES	EN ISO 10545-13
	STAIN RESISTANCE OF UNGLAZED MATT PORCELAIN RESISTENZA ALLE MACCHIE DI PIASTRELLE NON SMALTATE NATURALI FLECKENBESTÄNDIGKEIT VON UNGLASIERTEN NATUR FLIESEN RÉSISTANCE AUX TACHES DES CARREAUX NON EMAILLÉS NATUREL	EN ISO 10545-14
	BRILLIANCE BRILLANTEZZA GLANZ BRILLANT	
	COLOURS RESISTANCE TO LIGHT RESISTENZA DEI COLORI ALLA LUCE LICHTBESTÄNDIGKEIT DER FARBEN RÉSISTANCE DES COULEURS À LA LUMIÈRE	DIN 51094
	SLIP RESISTANCE RESISTENZA ALLO SCIVOLAMENTO RUTSCHFESTIGKEIT RÉSISTANCE À LA GLISSANCE	DIN 51130 DIN 51097 D.M. 236/89 B.C.R. ASTM C1028

REQUIRED VALUE VALORE PRESCRITTO VORGESCHRIEBENER WERT VALEUR PRESCRITE	PRODUCT VALUE VALORE PRODOTTO PRODUKT WERTE VALEUR PRODUIT
<p>N ≥ 15 cm Length and width-Lunghezza e larghezza-Länge und Breite-Longueur et largeur</p> <p>Thickness-Spessore-Stärke-Epaisseur ±0.6% 2.0 mm Linearity-Rettilinearità spigoli-Kantengeradheit ±5.0% 0.5 mm Rectitude des arêtes Wedging-Ortogonalità-Rechtwinkligkeit-Orthogonalité ±0.5% 1.5 mm Flatness-Planarità-Ebentüchtigkeit-Planéité ±0.5% 2.0 mm</p>	<p>Conforming Conforme Erfüllt Conforme</p>
<p>$E_b \leq 0,5\%$</p>	<p>Average/Medio/Mittelwert/Moyenne $E_b \leq 0,1\%$</p>
<p>Medium value 35 N/mm² min.</p>	<p>Conforming Conforme Erfüllt Conforme</p>
<p>sp. > = 7,5 mm: min 1300 N sp. < 7,5 mm: min 700 N</p>	<p>Conforming Conforme Erfüllt Conforme</p>
<p>175mm³ max.</p>	<p>Average/Medio/Mittelwert/Moyenne <150mm³</p>
<p>Testing method available Metodica di prova disponibile Prüfverfahren greifbar Norme d'essais</p>	<p>6,2 MK⁻¹</p>
<p>Testing method available Metodica di prova disponibile Prüfverfahren greifbar Norme d'essais</p>	<p>Resistant Resistente Widerstandsfähig Résistants</p>
<p>Required Richiesta Gefordert Requise</p>	<p>Resistant Resistente Widerstandsfähig Résistants</p>
<p>Test method available Metodo di prova disponibile Verfügbare prüfmethode Methode d'essai disponible</p>	<p>Resistant Resistente Widerstandsfähig Résistants</p>
<p>Test method available Metodo di prova disponibile Verfügbare prüfmethode Methode d'essai disponible</p>	<p>Resistant Resistente Widerstandsfähig Résistants</p>
	<p>More or equal to that of marble and granite. Maggiore o uguale a quella dei marmi e graniti. Mindestens so dauerhaft wie der von Marmor und Granit.Supérieur ou égal à celui des marbres et des granits.</p>
<p>No noticeable color change. Non devono presentare apprezzabili variazioni di colore. Die Muster dürfen keine sichtbaren Farbveränderungen aufweisen. Ne doivent pas présenter de variations importantes des couleurs.</p>	<p>No alteration after testing Materiale inalterato dopo il test Keine Veränderung nach dem Test Aucune altération relevee</p>
<p>If needed Dove richiesto Nach anforderung Si demande</p>	<p>Matt and Vintage finish: R10 / Lappato finish: R9 Matt and Vintage finish: A Test available Prova disponibile Verfügbare Prüfungen Essai disponible</p>





The only way to do great work is
to love what you do.

If you haven't found it yet,
keep looking. Don't settle.

As with all matters of the heart,
you'll know when you find it.

And, like any great relationship,
it just gets better and better
as the years roll on.

So keep looking until you find it.

Don't settle.

Steve Jobs

'Stay hungry, stay foolish'.
S.Jobs 1955-2011



PROJECT BY TERRATINTA MKTG LAB
PRINTED IN ITALY, SEPTEMBER 2014
TERRATINTA CERAMICHE® ALL RIGHTS RESERVED

